



Thermia WT-V 1000



Volume tank especially designed for heat pump drift

Thermia WT-V 1000 is a 1000-litre volume tank especially designed for heat pump operation. It can be used for volume boost, flow equalisation and reducing potential clicking in the heating system.

Thermia WT-V 1000 consists of one insulated steel container with six connections, with two sockets which can be used to connect the electric heating element. A number of connection options make it extremely easy to adapt to different kinds of heating system.

By removing the insulation, the diameter can be reduced to 900 mm, which facilitates transportation through narrow passages.

The Thermia series contains the following volume tanks: WT-V 100, WT-V 200, WT-V 300, WT-V 500 and WT-V 1000. Their names describe the volume of the tanks in litres.



Technical data WT-V 1000

Connections WT-V 1000

- 1 Expansion/Venting, DN25 ext.
- 2 Connections (6x), DN50
- 3 Temperature sensor conn. DN20
- 4 Immersion heater conn. DN50 int.

Dimensions

WT-V 1000	
Height (mm)	1830
Diameter (ømm)	1100

WT-V 1000	
Volume hot water accumulator	1000 litres
Diameter	1100 mm
Test pressure	4,3 bar
Working pressure	3 bar
Rated temperature	100 °C
Weight	117 kg

Required ceiling height for tilting: min. 2085 mm

